

**METALTECH**  
SCAFFOLDING®

# THE ULTIMATE WORK PLATFORMS

WIDER STANCE

STURDY FOOT HOLD

MADE WITH SAFETY IN MIND

**BUILT TOUGH FOR  
SAFETY**

Distributed by:

— EST. 1975 —  
**INDUSTRIAL**  
LADDER & SUPPLY CO.

Toll-Free: 1-800-833-0800  
[WWW.INDUSTRIALLADDER.COM](http://WWW.INDUSTRIALLADDER.COM)



# BETTER SELL THROUGH WITH RETAIL READY PACKAGING



Discover Metaltech's fresh, new products and package designs with our innovative mobile scaffold work platform offering. Innovative safety rail, foldaway tool shelf, locking mechanisms are only a few of the features included in this category. These "No Tool Required" work platforms offer contractors and consumers affordability, safety and ease of use, all in easy to merchandise packaging.

**NEW** FOR  
2017

## OUT OF THE BOX INNOVATION

OPTIONAL ACCESSORIES FOR JOBSITE SERIES 6' BAKER



**BAKER SCAFFL(CK**  
INTERIOR SCAFFOLD SAFETY BRAKE

I-ISL



**SET OF 4**  
LEVELING JACKS


I-IBSJP12H4



## 6' BAKER SCAFFOLD

**1,000 lb**  
LOAD CAPACITY

**12'**  
REACH



### MULTI PURPOSE

Suitable and safe for all types of interior work. At 30" (76 cm) wide, it can easily roll through doorways.



### STACKABLE UP TO 18' (5.5 M)

Easily stackable up to three units high in order to reach a range of 24' (7.4 m).



### QUICK AND EASY HEIGHT ADJUSTMENT

Platform height adjusts at 2" (5 cm) increments from 27" to 73" (68.6 to 185 cm).




### DOUBLE LOCKING CASTERS

High capacity 5 in. (13 cm) casters with both wheel and swivel locks.



### STORAGE & TRANSPORT

To haul your equipment and heavy loads to and from job sites. 1,000 lb capacity.



### STAIRWAYS


Each end can adjust separately to be used on both level surfaces and stairways.

PRODUCT CODE	I-CISC
ASSEMBLED DIMENSIONS (WxDxH)	74.75 X 29.75 X 75 IN. (189.9 X 75.6 X 190.5 CM)
PACKAGE DIMENSIONS (WxDxH)	75 X 30.5 X 5.25 IN. (190.5 X 77.5 X 13.3 CM)
WEIGHT	127 LB (57.6 KG)
LOAD CAPACITY	1,000 LB (454 KG) COMBINED WEIGHT OF USER + MATERIALS
WORKING HEIGHTS	FROM 27 TO 73 IN. (68.6 TO 185 CM). 2 IN. (5 CM) INCREMENT ADJUSTABLE HEIGHTS
REACH	12 FT (3.7 M). STACKABLE UP TO 3 UNITS HIGH FOR 24 FT (7.4 M) REACH
CASTERS	5 IN. (13 CM) DOUBLE LOCKING HEAVY DUTY
UPC CODE	778300200108



# COMPLETE TOWER SETS

## WITH OUTRIGGERS AND GUARDRAIL SYSTEMS



**2 UNITS  
TOWER**

12'



**3 UNITS  
TOWER**

18'

### ✓ COMPLETE 12' SET CONTENT

- 2 Baker Scaffold Structure
- 4 14" (35.5 cm) Outriggers
- 1 Guardrails system
- 8 Heavy duty casters



PRODUCT CODE	I-T3CISC
ASSEMBLED DIMENSIONS (W X D X H)	74 X 58.5 X 183 IN. (1.88 X 1.49 X 4.65 M)
PACKAGE DIMENSIONS (W X D X H)	75.2 X 43.4 X 15 IN. (191 X 110.2 X 38.1 CM)
PACKAGING WEIGHT	337.2 LB (153 KG)
LOAD CAPACITY	840 LB (381 KG) COMBINED WEIGHT OF USER + MATERIALS
WORKING HEIGHTS	FROM 2.25 TO 11.5 FT (0.68 TO 3.51 M) HEIGHT INCREMENT OF 2 IN. (5 CM)
REACH	17.5 FT (5.3 M)
CASTERS	5 IN. (13 CM) DOUBLE LOCKING HEAVY DUTY
UPC CODE	778300200009

### ✓ COMPLETE 18' SET CONTENT

- 3 Baker Scaffold Structure
- 4 46" (117 cm) Outriggers
- 1 Guardrails system
- 12 Heavy duty casters



PRODUCT CODE	I-T3CISC
ASSEMBLED DIMENSIONS (W X D X H)	74 X 122 X 236 IN. (1.88 X 3.1 X 6 M)
PACKAGE DIMENSIONS (W X D X H)	75.2 X 51 X 30.3 IN. (191 X 130 X 77 CM)
PACKAGING WEIGHT	619 LB (280.8 KG)
LOAD CAPACITY	733 LB (332.5 KG) COMBINED WEIGHT OF USER + MATERIALS
WORKING HEIGHTS	FROM 2.25 TO 16.9 FT (0.68 TO 5.15 M) HEIGHT INCREMENT OF 2 IN. (5 CM)
REACH	24 FT (7.3 M)
CASTERS	5 IN. (13 CM) DOUBLE LOCKING HEAVY DUTY
UPC CODE	778300200511



## AVAILABLE OPTIONS



### GUARDRAILS SYSTEM

PRODUCT CODE	I-CISGRJP
ASSEMBLED DIMENSIONS (WxDxH)	69.75 X 29.25 X 44.5 IN. (177.2 X 74.3 X 113 CM)
PACKAGE DIMENSIONS (WxDxH)	46 X 31.25 X 4.5 IN. (116.8 X 79.4 X 11.4 CM)
WEIGHT	59 LB (26.8 KG)
COMPATIBLE WITH METALTECH MODELS:	I-CISC, I-CAISC, I-CISCPT, I-CISCAS, I-BMSS



### 39" HIGH EXTENSION

PRODUCT CODE	I-ISE4PPNCAS
ASSEMBLED DIMENSIONS (WxDxH)	73.75 X 29 X 42.5 IN. (187.3 X 73.7 X 108 CM)
PACKAGE DIMENSIONS (WxDxH)	83.5 X 30.75 X 3.75 IN. (212.1 X 78.1 X 9.5 CM)
WEIGHT	60.2 LB (27.3 KG)
COMPATIBLE WITH METALTECH MODELS:	I-CISC, I-CISCAS, I-CISCPT, I-BMSS, I-CISCDW




### PLATFORM WITH TRAP DOOR

PRODUCT CODE	I-CISCPT001
ASSEMBLED DIMENSIONS (WxDxH)	67 X 29 X 1.44 IN. (170.2 X 73.7 X 3.7 CM)
PACKAGE DIMENSIONS (WxDxH)	68.4 X 30.4 X 1.91 IN. (173.8 X 77.3 X 4.85 CM)
WEIGHT	38 LB (17.3 KG)
COMPATIBLE WITH METALTECH MODELS:	I-CISC, I-CISCPT, I-CISCAS, I-CISCDW



### SET OF 14" OUTRIGGERS

PRODUCT CODE	I-CIS04
ASSEMBLED DIMENSIONS (WxDxH)	19.25 X 4.5 X 24 IN. (48.7 X 11 X 61 CM)
PACKAGE DIMENSIONS (WxDxH)	24 X 16.5 X 5 IN. (61 X 41.9 X 12.7 CM)
WEIGHT	33 LB (15 KG)
COMPATIBLE WITH METALTECH MODELS:	I-CISC, I-CAISC, I-CISCPT, I-CISCAS



### SET OF 46" OUTRIGGERS

PRODUCT CODE	I-CIS04TT
ASSEMBLED DIMENSIONS (WxDxH)	52.75 X 3.75 X 52.25 IN. (134 X 9.5 X 132.7 CM)
PACKAGE DIMENSIONS (WxDxH)	54.5 X 50.25 X 4.25 IN. (138.4 X 127.6 X 10.8 CM)
WEIGHT	110 LB (49.9 KG)
COMPATIBLE WITH METALTECH MODELS:	I-CISC, I-CISCPT, I-CISCAS, I-CISCPY, I-CISCDW



### TOOL SHELF

PRODUCT CODE	I-CISTR
ASSEMBLED DIMENSIONS (WxDxH)	30.25 X 20 X 2.75 IN. (76.8 X 50.8 X 6.7 CM)
PACKAGE DIMENSIONS (WxDxH)	31.25 X 20.75 X 9.25 IN. (79.4 X 52.7 X 23.5 CM)
WEIGHT	5.5 LB (2.5 KG)
COMPATIBLE WITH METALTECH MODELS:	I-CISC, I-CAISC, I-CISCPT, I-CISCAS, I-CISCPY, I-CISCDW



### SET OF 4 LEVELING JACKS

PRODUCT CODE	I-IBSJ12H4
ASSEMBLED DIMENSIONS (WxDxH)	9.5 X 5.5 X 12.25 IN. (23.6 X 13.5 X 31 CM)
PACKAGE DIMENSIONS (WxDxH)	13 X 13 X 8 IN. (33.6 X 33.2 X 20.4 CM)
WEIGHT	24.2 LB (11 KG)
COMPATIBLE WITH METALTECH MODELS:	I-CISC, I-CAISC, I-CISCPT, I-CISCAS, I-BMSS, I-CISCDW



### SET OF 4 BASE PLATES

PRODUCT CODE	I-IBBF4
ASSEMBLED DIMENSIONS (WxDxH)	4.75 X 4.75 X 4.75 IN. (12 X 12 X 12 CM)
PACKAGE DIMENSIONS (WxDxH)	11 X 5.25 X 5.5 IN. (27.8 X 13.3 X 13.8 CM)
WEIGHT	10.1 LB (4.6 KG)
COMPATIBLE WITH METALTECH MODELS:	I-CISC, I-CAISC, I-CISCPT, I-CISCAS, I-CISCPY, I-BMSS, I-CISCDW



### SAFETY BRAKES

PRODUCT CODE	I-ISL
ASSEMBLED DIMENSIONS (WxDxH)	30.25 X 20 X 2.75 IN. (76.8 X 50.8 X 6.7 CM)
PACKAGE DIMENSIONS (WxDxH)	67.1 X 4.25 X 4.25 IN. (170.4 X 10.8 X 10.8 CM)
WEIGHT	31.1 LB (14.1 KG)
COMPATIBLE WITH METALTECH MODELS:	I-CISC, I-CAISC, I-CISCPT, I-CISCAS, I-CISCPY, I-BMSS, I-CISCDW





## JOBSITE SERIES 6'



**STACKABLE UP TO 12' (3.7 M)**  
Easily stackable up to two units high in order to reach a range of 18' (5.5 m).



**ADJUSTABLE PLATFORMS**  
Adjustable platform in 12 in. increments (30.5 cm)



**MULTI-LEVEL WORKING AREA**  
Multi-level working area. Adjust platforms up to the desired level for a comfortable workplace.



**EASY STORAGE**  
Folds flat for compact storage and transport.

PRODUCT CODE	I-IRC
ASSEMBLED DIMENSIONS (WxDxH)	75 X 30.5 X 78.25 IN. (190.5 X 77.5 X 198.8 CM)
PACKAGE DIMENSIONS (WxDxH)	76.75 X 31 X 6.75 IN. (195 X 78.7 X 17.2 CM)
WEIGHT	151 LB (68.5KG)
LOAD CAPACITY	850 LB (385 KG) COMBINED WEIGHT OF USER + MATERIALS
WORKING HEIGHTS	13-25-37-49-61-73 IN. (33-63.5-94-124.5-155-185.5 CM)
REACH	12 FT (3.7 M) STACKABLE UP TO 2 UNITS FOR 18 FT (5.5 M) REACH
CASTERS	5 IN. (13 CM) DOUBLE LOCKING HEAVY DUTY
OPTIONS	GUARDRAILS / SET OF 4 OUTRIGGERS / 3 FT (91.4 CM) OR 6 FT (182.9 CM) EXTENSIONS
UPC CODE	778300400157




## JOBSITE SERIES 5'



**TOOL SHELF & SAFETY RAIL**  
Safety rail to hold on to, for stability. Convenient fold away tool shelf for paint can, bucket, screws, nails and tools.



**TRANSPORT**  
Use it as a cart to haul your equipment and heavy loads to and from job sites. 900 lb (408 kg) capacity.



**TWO-MINUTE ASSEMBLY**  
No tools required.



**STABLE AND STURDY**  
Double locking 5" wheels, anti-slip platforms and included outriggers provide safety.

PRODUCT CODE	I-MIS
ASSEMBLED DIMENSIONS (WxDxH)	50.5 X 31 X 76.5 IN. (128.3 X 78.7 X 194.3 CM)
PACKAGE DIMENSIONS (WxDxH)	44 X 23 X 7.5 IN. (111.8 X 58.4 X 19.1 CM)
WEIGHT	77 LB (35 KG)
LOAD CAPACITY	900 LB (408 KG) COMBINED WEIGHT OF USER + MATERIALS
WORKING HEIGHTS	11.5 - 25 - 36.5 - 48 IN. (29 - 64 - 93 - 122 CM)
REACH	10 FT (3 M)
CASTERS	5 IN. (13 CM) DOUBLE LOCKING HEAVY DUTY
OPTIONS	N/A
UPC CODE	778300100019




# JOBSITE SERIES 4'

**500lb**  
LOAD CAPACITY

**9'**  
REACH



**TOOL SHELF & SAFETY RAIL**  
Safety rail to hold on to, for stability.  
Convenient fold away tool shelf for paint can, bucket, screws, nails and tools.



**TWO-MINUTE ASSEMBLY**  
No tools required.



**EASY STORAGE**  
Folds flat for compact storage and transport.



**WORKBENCH**  
Multi-level working area. Adjust platforms up to the desired level for a comfortable workplace.

PRODUCT CODE	I-IMCNT
ASSEMBLED DIMENSIONS (WxDxH)	49.5 X 22.5 X 57.75 IN. (125.7 X 57.2 X 146.7 CM)
PACKAGE DIMENSIONS (WxDxH)	43.25 X 24 X 4.5 IN. (109.9 X 61 X 11.4 CM)
WEIGHT	59 LB (26.8 KG)
LOAD CAPACITY	500 LB (227 KG) COMBINED WEIGHT OF USER + MATERIALS
WORKING HEIGHTS	10 - 21.5 - 33 IN. (25 - 55 - 84 CM)
REACH	9 FT (2.75 M)
CASTERS	4 IN. (10 CM) DOUBLE LOCKING HEAVY DUTY
OPTIONS	N/A
UPC CODE	778300100224

# 4' WORK PLATFORM

**500lb**  
LOAD CAPACITY

**9'**  
REACH




**WORKBENCH**  
Multi-level working area. Adjust platforms up to the desired level for a comfortable workplace.



**EASY STORAGE**  
Folds flat for compact storage and transport.



**TRANSPORT**  
Use it as a cart to haul your equipment and heavy loads to and from job sites. 500 lb (227 kg) capacity.



**TWO-MINUTE ASSEMBLY**  
No tools required.

PRODUCT CODE	I-IMCN
ASSEMBLED DIMENSIONS (WxDxH)	41 X 22.5 X 45.75 IN. (104.1 X 57.2 X 116.2 CM)
PACKAGE DIMENSIONS (WxDxH)	43.25 X 24 X 3.75 IN. (109.7 X 60.8 X 9.8 CM)
WEIGHT	50 LB (22.7 KG)
LOAD CAPACITY	500 LB (227 KG) COMBINED WEIGHT OF USER + MATERIALS
WORKING HEIGHTS	10 - 21.5 - 33 PO (25 - 55 - 84 CM)
REACH	9 FT (2.75 M)
CASTERS	4 IN. (10 CM) DOUBLE LOCKING HEAVY DUTY
OPTIONS	N/A
UPC CODE	778300100200





**ALU 4'**  
SERIES

**600 lb**  
LOAD CAPACITY

**9'**  
REACH



**ALU 6'**  
SERIES

**700 lb**  
LOAD CAPACITY

**12'**  
REACH



**ALU SERIES 6' BAKER**

**700 lb**  
LOAD CAPACITY

**12'**  
REACH



#### EASY STORAGE

Fold flat for compact storage and transport

PRODUCT CODE	I-IMAC
ASS. DIMENSIONS (WxDxH)	42.25 X 22.25 X 47.75 IN. (107.3 X 56.5 X 121.4 CM)
PKG. DIMENSIONS (WxDxH)	43.75 X 22.5 X 4.75 IN. (111 X 57.2 X 12.1 CM)
WEIGHT	35.2 LB (16 KG)
LOAD CAPACITY	600 LB (272 KG) COMBINED WEIGHT OF USER + MATERIALS
WORKING HEIGHTS	9.5 - 21.25 - 33 IN. (24 - 54 - 84 CM)
REACH	9 FT (2.75 M)
CASTERS	4 IN. (10 CM) DOUBLE LOCKING HEAVY DUTY
OPTIONS	N/A
UPC CODE	778300100408



#### USE IT AS A CART

To haul your equipment and heavy loads to and from job sites. 700 lb capacity.

I-CAIRC
56.5 X 29 X 72 IN. (143.5 X 73.7 X 182.9 CM)
67.5 X 30.5 X 6.5 IN. (171.5 X 77.5 X 16.5 CM)
67 LB (30.4 KG)
700 LB (318 KG) COMBINED WEIGHT OF USER + MATERIALS
11.75 - 23.5 - 35.25 - 47 - 59 - 70.75 IN. (30 - 60 - 90 - 119 - 150 - 180 CM)
12 FT (3.7 M)
5 IN. (13 CM) DOUBLE LOCKING HEAVY DUTY
N/A
778300420155



#### MULTI PURPOSE

Suitable and safe for all types of interior work. Each end can adjust separately to be used on both level surfaces and stairways. At 30" (76 cm) wide, can easily roll through doorways.

I-CAISC
74 X 30.75 X 74.5 IN. (187.7 X 78.2 X 189.5 CM)
74.75 X 30.25 X 6.25 IN. (189.7 X 76.9 X 16 CM)
85 LB (38.6 KG)
700 LB (318 KG) COMBINED WEIGHT OF USER + MATERIALS
FROM 26.75 TO 73 IN. (67.9 TO 185.1 CM). 2 IN. (5 CM) INCREMENT ADJUSTABLE HEIGHTS
12 FT (3.7 M) STACKABLE UP TO 2 UNITS FOR 18 FT (5.5 M) REACH
5 IN. (13 CM) DOUBLE LOCKING HEAVY DUTY
GUARDRAILS / SET OF 4 OUTRIGGERS
778300220106

**METALTECH**®

#### CUSTOMER SERVICE

T : **1 800 363-7587** (TOLL FREE NUMBER)

F : **1 866 517-7585**

@ : **CS@METALTECH.CO**

**WWW.METALTECH.CO**

**ALL PRODUCTS MEET ANSI OSHA CSA**

