

2017 HOISTING PRICE LIST

Pivoting Platform Hoist



RGC[®]

REIMANN & GEORGER CORP.



**TT1000
Trolley Hoist**



Roof Brackets



HS2000 Bi-Directional Swing Hoist



PRO Hoist Features & Benefits

- The best single-handle Platform Hoist on the market is engineered for professional roofers with safety and efficiency in mind.
- More cost-effective than cranes or forklifts.
- Lightweight and easy to transport.
- Assemble easily and quickly without special tools.
- 200 and 400 lb. lifting capacities available at up to 44 ft. heights.
- Choice of gas or electric power for outdoor and indoor operation.
- PRO Drives effortlessly mount to 1st and 3rd track cross ties without being lifted into place.
- Wheels make transporting the PRO Drive easy.
- Single control lever makes the hoist safe and easy to operate with minimal effort.
- Brake rope design permits 'feathering' of brake, resulting in smooth, controlled platform descent.
- Great selection of optional equipment including the Solar Panel Carrier featured here (at right).

**PRO400
Platform Hoist**



**Solar Panel Carrier
(without Panel)**

PLATFORM HOIST SOLAR PANEL CARRIER

Part #	Description	Weight	Price
O424022	200 lb. Solar Panel Carrier w/ Frame & Top Sheave w/ Bracket Assembly (substitution for Solar Panel use only)	60 lbs.	
O444044	400 lb. Solar Panel Carrier w/ Frame & Top Sheave w/ Bracket Assembly (substitution for Solar Panel use only)	70 lbs.	
O424030*	Solar Panel Carrier Conversion Attachment	25 lbs.	

* Fits on existing 200 lb. & 400 lb. Platforms.

PRO PLATFORM HOIST (400 LB. CAPACITY)

Part #	Description	Weight	Price
O455010	Platform Hoist 400 PRO G 12 ft. w/ 4 hp B & S gas engine	278 lbs.	
O455011	Platform Hoist 400 PRO HG 12 ft. w/ 4 hp Honda gas engine	284 lbs.	
O455009	Platform Hoist 400 PRO E 12 ft. w/ 1-1/2 hp electric motor	305 lbs.	
O455000	Platform Hoist 400 PRO G 16 ft. w/ 4 hp B & S gas engine	284 lbs.	
O455004	Platform Hoist 400 PRO HG 16 ft. w/ 4 hp Honda gas engine	290 lbs.	
O455003	Platform Hoist 400 PRO E 16 ft. w/ 1-1/2 hp electric motor	311 lbs.	
O455001	Platform Hoist 400 PRO G 28 ft. w/ 4 hp B & S gas engine	317 lbs.	
O455006	Platform Hoist 400 PRO HG 28 ft. w/ 4 hp Honda gas engine	323 lbs.	
O455005	Platform Hoist 400 PRO E 28 ft. w/ 1-1/2 hp electric motor	344 lbs.	
O455002	Platform Hoist 400 PRO G 44 ft. w/ 4 hp B & S gas engine	408 lbs.	
O455008	Platform Hoist 400 PRO HG 44 ft. w/ 4 hp Honda gas engine	414 lbs.	
O455007	Platform Hoist 400 PRO E 44 ft. w/ 1-1/2 hp electric motor	435 lbs.	

PRO PLATFORM HOIST (200 LB. CAPACITY)

Part #	Description	Weight	Price
O456810	Platform Hoist 200 PRO G 12 ft. w/ 4 hp B & S gas engine	243 lbs.	
O456811	Platform Hoist 200 PRO HG 12 ft. w/ 4 hp Honda gas engine	249 lbs.	
O456809	Platform Hoist 200 PRO E 12 ft. w/ 1-1/2 hp electric motor	270 lbs.	
O456800	Platform Hoist 200 PRO G 16 ft. w/ 4 hp B & S gas engine	252 lbs.	
O456804	Platform Hoist 200 PRO HG 16 ft. w/ 4 hp Honda gas engine	258 lbs.	
O456803	Platform Hoist 200 PRO E 16 ft. w/ 1-1/2 hp electric motor	279 lbs.	
O456801	Platform Hoist 200 PRO G 28 ft. w/ 4 hp B & S gas engine	282 lbs.	
O456806	Platform Hoist 200 PRO HG 28 ft. w/ 4 hp Honda gas engine	288 lbs.	
O456805	Platform Hoist 200 PRO E 28 ft. w/ 1-1/2 hp electric motor	309 lbs.	
O456802	Platform Hoist 200 PRO G 44 ft. w/ 4 hp B & S gas engine	370 lbs.	
O456808	Platform Hoist 200 PRO HG 44 ft. w/ 4 hp Honda gas engine	376 lbs.	
O456807	Platform Hoist 200 PRO E 44 ft. w/ 1-1/2 hp electric motor	397 lbs.	



Plywood Carrier - 400 lbs.



Roller Angle Guide - 400 lbs.

PLATFORM HOIST SOLAR PANEL CARRIER

Part #	Description	Weight	Price
O424022	200 lb. Solar Panel Carrier w/ Frame & Top Sheave w/ Bracket Assembly	60 lbs.	
O444044	400 lb. Solar Panel Carrier w/ Frame & Top Sheave w/ Bracket Assembly	70 lbs.	
O424030*	Solar Panel Carrier Attachment		

* Fits on 200 lb. & 400 lb. Platforms.

Consult factory for use on the Pivoting Platform Hoist.

200 LB. HOIST ACCESSORIES

Part #	Description	Weight	Price
O400540	Telescope Support. Required for extra support when lifting to heights over 28 ft.	52 lbs.	
O400019	Scaffolding Support Arm. Allows track to be mounted sideways with support arms at various points along a scaffold frame for safe, sure loading.	24 lbs.	
O403250	200 lb. Plywood Carrier - 5 in. Lifts plywood windows, doors and framing materials.	13 lbs.	
O403270	200 lb. Truss Carrier - 7 in. Lifts roof trusses, framing materials and solar panels.	13 lbs.	
O406042	PL/PRO Cross Tie Repair Kit	5 lbs.	
O420404	200 lb. Track Cross Tie Stiffener	1 lb.	
O401498	Pro Swivel Shoe Kit	3 lbs.	

200 LB. PLATFORM & TOP SHEAVE/BACKET

Part #	Description	Weight	Price
O403225	200 lb. Platform & Top Sheave w/ Bracket Assembly	51 lbs.	
O403226	200 lb. Platform Assembly Only	40 lbs.	
O401100	200 lb. Top Sheave w/ Bracket Assembly Only	12 lbs.	

200 LB. HOIST TRACK SECTIONS

Part #	Description	Weight	Price
O405570	200 lb. 16 ft. Track w/ Safety Shoes	40 lbs.	
O400571	200 lb. 16 ft. Track w/ Splice Plates	36 lbs.	
O420088	200 lb. 8 ft. Track w/ Safety Shoes	23 lbs.	
O400572	200 lb. 8 ft. Track w/ Splice Plates	19 lbs.	
O400573	200 lb. 4 ft. Track w/ Splice Plates	11 lbs.	

400 LB. HOIST ACCESSORIES

Part #	Description	Weight	Price
O400557	400 lb. 6 ft. Roller Angle Guide. Moves material away from roof edge on shallow inclines.	43 lbs.	
O400558	400 lb. Gravel Hopper. Lifts granular materials and discharges load into wheel barrows, spreaders and other containers.	52 lbs.	
O400561	400 lb. Plywood Carrier - 5 in. Lifts plywood, wallboard, windows, doors, and framing materials.	10 lbs.	
O400562	400 lb. Truss Carrier - 7 in. Lifts roof trusses, framing materials and solar panels.	11 lbs.	
O400540	Telescope Support. Required for extra support when lifting to heights over 28 ft.	52 lbs.	
O400019	Scaffolding Support Arm. Allows track to be mounted sideways with support arms at various points along a scaffold frame for safe, sure loading.	24 lbs.	
O406042	PL/PRO Cross Tie Repair Kit	5 lbs.	
O420403	400 lb. Track Cross Tie Stiffener	1 lb.	
O401498	PRO Swivel Shoe Kit	3 lbs.	

400 LB. PLATFORM & TOP SHEAVE/BACKET

Part #	Description	Weight	Price
O405667	400 lb. Platform & Top Sheave w/ Bracket Assembly	83 lbs.	
O401400	400 lb. Platform Assembly Only	69 lbs.	
O400567	400 lb. Top Sheave w/ Bracket Assembly Only	15 lbs.	

400 LB. HOIST TRACK SECTIONS

Part #	Description	Weight	Price
O405552	400 lb. 16 ft. Track w/ Safety Shoes	43 lbs.	
O400553	400 lb. 16 ft. Track w/ Splice Plates	39 lbs.	
O440088	400 lb. 8 ft. Track w/ Safety Shoes	25 lbs.	
O400554	400 lb. 8 ft. Track w/ Splice Plates	21 lbs.	
O400555	400 lb. 4 ft. Track w/ Splice Plates	12 lbs.	

PLATFORM HOIST POWER DRIVES

Part #	Description	Weight	Price
O402006	PRO DRIVE w/ 4 hp B & S Gas Engine	158 lbs.	
O402007	PRO DRIVE w/ 4 hp Honda Gas Engine	164 lbs.	
O402005	PRO DRIVE w/ 1-1/2 hp Electric Motor	185 lbs.	
O413041	Classic DRIVE w/ 4 hp B & S Gas Engine	128 lbs.	
O413042	Classic DRIVE w/ 4 hp Honda Gas Engine	135 lbs.	
O432504	Classic DRIVE w/ 1-1/2 hp Electric Motor	154 lbs.	



Solar Panel Carrier

Classic Hoist Features & Benefits

- Engineered for the professional roofer concerned with operator safety and efficiency.
- These lightweight, easily transported, efficient hoists are more cost-effective than cranes or forklifts.
- Assemble easily and quickly without special tools.
- Track sections assemble with splice plates, bolts and lock nuts.
- Durable steel platforms provide years of use.
- Maintenance-free high quality aluminum track.
- 200 and 400 lb. lifting capacities offered at up 44 ft. heights.
- Choose gas or electric power for outdoor and indoor operation.
- Classic Drive mounts to 3rd and 5th track cross ties for convenient use on landscaped job sites.
- Long-handled control levers make hoist safe by keeping operator away from platform and load.
- Great selection of optional equipment including the Solar Panel Carrier featured here.



400 lb. Classic Platform Hoist

PRO & CLASSIC DRIVE HOIST SPECS

	400	200
Load Capacity	400 lbs.	200 lbs.
Lift Speed	110 fpm	220 fpm
Platform Size	24 in. x 24 in.	17 in. x 18 in.
Track (3 - 3/4 in. Side Rail)	24 in. wide	17 in. wide

CLASSIC 400 LB. PLATFORM HOIST

Part #	Description	Weight	Price
O431412	Platform Hoist 400 Classic G 12 ft. w/ 4 hp B & S gas engine	248 lbs.	
O450943	Platform Hoist 400 Classic HG 12 ft. w/ 4 hp Honda gas engine	255 lbs.	
O431312	Platform Hoist 400 Classic E 12 ft. w/ 1-1/2 hp electric motor	274 lbs.	
O431416	Platform Hoist 400 Classic G 16 ft. w/ 4 hp B & S gas engine	256 lbs.	
O450944	Platform Hoist 400 Classic HG 16 ft. w/ 4 hp Honda gas engine	263 lbs.	
O431316	Platform Hoist 400 Classic E 16 ft. w/ 1-1/2 hp electric motor	282 lbs.	
O431428	Platform Hoist 400 Classic G 28 ft. w/ 4 hp B & S gas engine	289 lbs.	
O450945	Platform Hoist 400 Classic HG 28 ft. w/ 4 hp Honda gas engine	296 lbs.	
O431328	Platform Hoist 400 Classic E 28 ft. w/ 1-1/2 hp electric motor	315 lbs.	
O431444	Platform Hoist 400 Classic G 44 ft. w/ 4 hp B & S gas engine	380 lbs.	
O450946	Platform Hoist 400 Classic HG 44 ft. w/ 4 hp Honda gas engine	387 lbs.	
O431344	Platform Hoist 400 Classic E 44 ft. w/ 1-1/2 hp electric motor	406 lbs.	

CLASSIC 200 LB. PLATFORM HOIST

Part #	Description	Weight	Price
O431212	Platform Hoist 200 Classic G 12 ft. w/ 4 hp B & S gas engine	213 lbs.	
O450922	Platform Hoist 200 Classic HG 12 ft. w/ 4 hp Honda gas engine	220 lbs.	
O431112	Platform Hoist 200 Classic E 12 ft. w/ 1-1/2 hp electric motor	239 lbs.	
O431216	Platform Hoist 200 Classic G 16 ft. w/ 4 hp B & S gas engine	221 lbs.	
O450923	Platform Hoist 200 Classic HG 16 ft. w/ 4 hp Honda gas engine	228 lbs.	
O431116	Platform Hoist 200 Classic E 16 ft. w/ 1-1/2 hp electric motor	247 lbs.	
O431228	Platform Hoist 200 Classic G 28 ft. w/ 4 hp B & S gas engine	251 lbs.	
O450924	Platform Hoist 200 Classic HG 28 ft. w/ 4 hp Honda gas engine	258 lbs.	
O431128	Platform Hoist 200 Classic E 28 ft. w/ 1-1/2 hp electric motor	277 lbs.	
O431244	Platform Hoist 200 Classic G 44 ft. w/ 4 hp B & S gas engine	339 lbs.	
O450925	Platform Hoist 200 Classic HG 44 ft. w/ 4 hp Honda gas engine	346 lbs.	
O431144	Platform Hoist 200 Classic E 44 ft. w/ 1-1/2 hp electric motor	365 lbs.	

PPH FEATURES & BENEFITS

RGC's versatile PPH, Pivoting Platform Hoist, is offered as a 400 lb. capacity, 44 ft. hoist with a choice of PRO drives. Select a 4 hp Briggs & Stratton engine, a 4 hp Honda engine or a 1-1/2 hp electric motor to power your hoist.

The PPH's newly designed pivoting track section is adjustable from 35° to 75° for use on virtually any roof slope. It moves materials to workers farther up the roof and away from the roof's edge. This improves worker safety and increases productivity.

Each hoist is sold with one section of 8 ft. track with shoes, three sections of 8 ft. track with plates, three sections of 4 ft. track with plates and one pivoting track section. This combination allows you to configure the track for various applications.

The PPH functions like a conveyor - but without the cost!

HANDIHOIST FEATURES & BENEFITS

Rugged RGC HandiHoists are the dependable, economical and safe environmentally friendly choice for your lifting requirements. Its steel frame provides exceptional durability and easily mounts to RGC track with two lock pins.

The very portable HandiHoist can be mounted on track lengths of 12 ft. to 44 ft. and will fit 200 lb. or 400 lb. capacity track sections. A large cable drum, 24 in. hand-wheel and 3.5:1 gear ratio winch ensure easy lifting. Each HandiHoist winch is equipped with a friction disc brake and allows the operator to control the ascent and descent of the lifting platform.

HandiHoists are ideal for commercial or residential roofing, HVAC and construction jobs. Use the Truss Carrier accessory to raise panels and windows.

PPH 400 LB. CAPACITY

Part #	Description	Weight	Price
O410148	Pivoting Platform Hoist 400 lb. PRO G 44 ft. w/ 4 hp B & S gas engine.	430 lbs.	
O410156	Pivoting Platform Hoist 400 lb. PRO HG 44 ft. w/ 4 hp Honda gas engine.	436 lbs.	
O410140	Pivoting Platform Hoist 400 lb. PRO E 44 ft. w/ 1-1/2 hp motor.	457 lbs.	
O410164	Pivoting Track & Platform.	81 lbs.	
O410224	Pivoting Platform Hoist Track Roof Support.	15 lbs.	
O410236	Pivoting Platform Hoist Truss Carrier	9 lbs.	

PHH HOIST SOLAR PANEL CARRIER

Part #	Description	Weight	Price
O4446160	PPH Solar Panel Carrier Attachment.*	31 lbs.	

* Fits Pivoting Platform Hoist only.

HANDIHOIST 400 LB. CAPACITY

Part #	Description	Weight	Price
O409412	Handi Hoist w/ 12 ft. track	110 lbs.	
O409416	Handi Hoist w/ 16 ft. track	113 lbs.	
O409428	Handi Hoist w/ 28 ft. track	146 lbs.	
O409444	Handi Hoist w/ 44 ft. track	185 lbs.	

HANDIHOIST 200 LB. CAPACITY

Part #	Description	Weight	Price
O409212	Handi Hoist w/ 12 ft. track	104 lbs.	
O409216	Handi Hoist w/ 16 ft. track	110 lbs.	
O409228	Handi Hoist w/ 28 ft. track	140 lbs.	
O409244	Handi Hoist w/ 44 ft. track	176 lbs.	

HANDIHOIST ACCESORIES

Part #	Description	Weight	Price
O409510	HandiHoist Winch Assembly w/ Handwheel	70 lbs.	
O400540	Telescope Support. Required when lifting to heights over 28 ft.	52 lbs.	
O400557	400 lb. 6 ft. Roller Angle Guide.	43 lbs.	
O400561	400 lb. Plywood Carrier - 5 in. Lifts plywood, windows, doors and framing materials.	10 lbs.	
O400562	400 lb. Truss Carrier - 7 in. Lifts roof trusses, framing materials and solar panels.	11 lbs.	
O420403	400 lb. Track Cross Tie Stiffener	1 lb.	
O406042	PL/PRO Cross Tie Repair Kit	5 lbs.	
O403250	200 lb. Plywood Carrier - 5 in. Lifts plywood, windows, doors and framing materials.	13 lbs.	
O403270	200 lb. Truss Carrier - 7 in. Lifts roof trusses, framing materials and solar panels.	13 lbs.	
O420404	200 lb. Track Cross Tie Stiffener	1 lb.	



400 lb. Pivoting Platform Hoist

PPH & HANDIHOIST TRACK

Replacement track sections and top brackets are the same as those used on standard PRO and Classic Platform Hoists.



200 lb. HandiHoist w/ Truss Carrier



Roof Brackets


LADDER HOOKS AND ARMS			
Part #	Description	Weight	Price
O601013	Ladder Arms (pair).	6 lbs. / pr.	
O601018	Ladder Hook w/ Latch and Wheel. Swivel plate allows ladder to be placed in valley between gables. Plate prevents hook from damaging asphalt shingles.	6 lbs. ea.	
O601017	Latch w/ Wheel (for Ladder Hook).	2 lbs. ea.	

ROOF BRACKETS & SHINGLERS			
Part #	Description	Weight	Price
O611007	2 x 6 Standard - 45° Bracket. Holds a 2 in. x 6 in. wide plank snugly with no rocking or tipping. Can be used on all slopes including 12/12 pitch. Can be removed without raising or damaging shingles. 19.5 in. long. Sold by the dozen.	32 lbs. / doz.	
O611014	2 x 6 - 60° Bracket. Similar to the Standard Bracket except it holds plank at 60° to the roof pitch. 18.5 in. long. Sold by the dozen.	30 lbs. / doz.	
O611008	2 x 6 - 90° Bracket. Similar to the Standard Bracket except it holds plank at 90° to the roof pitch. 17 in. long. Sold by the dozen.	31 lbs. / doz.	
O601006	2 x 8 Adjustable Bracket. Holds a 2 in. x 8 in. wide plank snugly with no rocking or tipping. Has a locking device and folds into compact unit for storage. Can be removed without raising or damaging shingles. Sold by the dozen.	38 lbs. / doz.	
O611009	2 x 10 - 45° Bracket. Similar to the 2 x 6 Standard Bracket except it holds a 2 in. x 10 in. plank for an extra wide work platform. Sold by the dozen.	39 lbs. / doz.	
O601010	2 x 4 Narrow Shingler. Fits a 2 in. x 4 in. plank on edge to make a safe toe hold on shallow pitched roofs. Can be removed without raising or damaging shingles. Sold by the dozen.	20 lbs. / doz.	
O601011	2 x 4 Wide Shingler. Similar to the Narrow Shingler except that the plank is held on the 4 in. side. Sold by the dozen.	24 lbs. / doz.	

*Long Brackets available on special order. 25 dozen minimum order.



2 x 6 Standard Roof Bracket



2 x 8 Adjustable Roof Bracket



Ladder Hook w/ Latch & Wheel



Roof Shinglers

BI-DIRECTIONAL HS2000 SWING HOIST - 1 TON CAPACITY				
Part #	Model	Description	Weight	Price
0713140	HS2000	10 hp B & S Intek I/C engine, electric & pull start, HW2000S winch w/ 200 ft. of 1/4 in. wire rope, 40 ballast weights & funnel.	1015 lbs.	
0713145	HS2000	11 hp Honda engine, electric & pull start, HW2000S winch w/ 200 ft. of 1/4 in. wire rope, 40 ballast weights & funnel.	1025 lbs.	
0713150	HS2000	0713145 w/ Limit Switch	1030 lbs.	
0713155	HS2000	13 hp Honda engine, electric & pull start, HW2000S winch w/ 200 ft. of 1/4 in. wire rope, 40 ballast weights & funnel.	1055 lbs.	
0713160	HS2000	0713155 w/ Limit Switch.	1060 lbs.	
0713165	HS2000	0713155 w/ HydraWinch HD.	1165 lbs.	
0713170	HS2000	0713155 w/ Limit Switch & HydraWinch HD.	1170 lbs.	
0713185	HS2000	16 hp B&S engine, electric & pull start, HW2000S winch w/ 200 ft. of 1/4 in. wire rope, 40 ballast weights & funnel.	1080 lbs.	
0713190	HS2000	0713185 w/ Limit Switch.	1085 lbs.	
0713195	HS2000	0713185 w/ HydraWinch HD.	1190 lbs.	
0713200	HS2000	0713185 w/ Limit Switch & HydraWinch HD.	1195 lbs.	
0713205	HS2000	18 hp B&S engine, electric & pull start, HW2000S winch w/ 200 ft. of 1/4 in. wire rope, 40 ballast weights & funnel.	1085 lbs.	
0713210	HS2000	0713205 w/ Limit Switch.	1090 lbs.	
0713215	HS2000	0713205 w/ HydraWinch HD.	1185 lbs.	
0713220	HS2000	0713205 w/ Limit Switch & HydraWinch HD.	1190 lbs.	
0713225	HS2000	7-1/2 hp electric motor, 3 ph, HW2000S winch w/ 200 ft. of 1/4 in. wire rope, 40 ballast weights & funnel. <i>(Motor starter not included.)</i>	1014 lbs.	
0713230	HS2000	0713225 w/ Limit Switch.	1050 lbs.	
0713235	HS2000	0713225 w/ HydraWinch HD.	1114 lbs.	
0713240	HS2000	0713225 w/ Limit Switch, Motor Starter & HydraWinch HD.	1160 lbs.	



HS2000 Bi-Directional Swing Hoist w/ GB1600 Gravel Bucket

Swing Hoist Features & Benefits

- HS2000 hoist can be set up to swing to the left or to the right.
- High-strength steel tubing is used to build strong, reliable hoists.
- An exceptional boom design provides greater strength.
- The cable keeper provides added lifting stability.
- The hydraulic power-up and power-down feature puts the operator in complete control.
- Separate winch and power unit makes the hoist very easy to handle.
- A split leg frame design makes transporting the hoist easy.
- Self-locking pins permit quick and easy frame assembly.
- The winch is mounted to the frame with pins for quick assembly.
- The swing boom unloads materials well back of roof edge for greater operator safety.
- Nesting ballast weight shells are included for added safety in a convenient form.
- A protective fence provides additional safety for the operator.
- The self-locking hydraulic boom makes loading and unloading materials safe and fast.
- An optional handwinch quickly mounts to hoist frame to lift HydraPak up 10+ stories.
- Optional HydraWinch HD with 700 ft. of wire rope for HS2000.
- Optional Upper Limit Switch for anti-two blocking on HS2000.

HS1000 SWING HOIST - 1/2 TON CAPACITY				
Part #	Model	Description	Weight	Price
0743044	HS1000	11 hp Honda engine, electric and pull start, HW1000S winch with 150 ft. of 1/4 in. wire rope, with 20 ballast weight shells and funnel.	906 lbs.	
0700415	HS1000	7-1/2 hp electric motor, 3 phase, HW1000S winch with 150 ft. of 1/4 in. wire rope, with 20 ballast weight shells and funnel. <i>(Motor Starter not included.)</i>	903 lbs.	

HYDRAWINCH SPECIFICATIONS

Winch Model	HW1000S	HW2000S	HydraWinch HD
Capacity	1000 lbs.	1000/2000 lbs.	1000/2000 lbs.
Max. Lifting Speed	up to 165 fpm	up to 165 fpm (1 part of line) up to 82 fpm (2 parts of line)	up to 200 fpm (1 part of line) up to 100 fpm (2 parts of line)
Wire Rope Supplied (1/4 in. diameter)	150 ft.	200 ft.	730 ft.
Max. Wire Rope Length (1/4 in. diameter)	300 ft.	300 ft.	730 ft.
Max. Lifting Height	285' @ 500 lbs.	285' @ 660 lbs.	700' @ 1000 lbs.
Weight (approx.)	118 lbs.	124 lbs.	216 lbs.

HYDRAWINCHES

Part #	Model	Description	Weight	Price
1020004	HydraWinch HD	Heavy-duty HydraWinch.	216 lbs.	
1000413	HW2000S	HydraWinch for HS2000 Swing Hoist.	124 lbs.	
1000412	HW1000S	HydraWinch for HS1000 Swing Hoist.	118 lbs.	

ACCESSORY HAND WINCH

Part #	Description	Weight	Price
0102000	Hand Winch for HS2000 with 150 ft. wire rope.	35 lbs.	
0101000	Hand Winch for HS1000 with 150 ft. wire rope.	34 lbs.	

SH300 HAND SWING HOIST & ACCESSORIES

Part #	Model	Description	Weight	Price
0200085	SH300	Hand Swing Hoist with 12 ballast weight shells and funnel.	222 lbs.	
0285000	SH300	Hand Swing Hoist with handwinch, 60 ft. of wire rope, 12 ballast weight shells and funnel.	269 lbs.	
0200086		Operator fence for SH300.	15 lbs.	
0200563		12 in. Gin Pulley for SH300.	20 lbs.	

HS2000 Swing Hoist with Optional Upper Limit Switch



SWING HOIST FRAME ASSEMBLIES

Part #	Model	Description	Weight	Price
0713100	Bi-Directional HS2000	Block carton, counterweight leg, front leg assembly, brace, cylinder mount, boom & 40 ballast weight shells.	691 lbs.	
0700270	HS1000	Block carton, counterweight leg, front leg assembly, brace, cylinder mount, boom & 20 ballast weight shells.	587 lbs.	

SWING HOIST SPECIFICATIONS

Hoist Model	HS1000	HS2000	SH300*
Capacity	1000 lbs.	2000 lbs.	300 lbs.
Standard Winch Model	HW1000S	HW2000S	----
Cable: Supplied / Maximum	150 / 300 ft.	200 / 300 ft.	----
Optional Winch Model	Consult Factory	HydraWinch HD	----
Counterweight Required	1000 lbs.	2000 lbs.	600 lbs.
Ballast Weight Shells Included	20 pcs.	40 pcs.	12 pcs.
Frame Weight	587 lbs.	691 lbs.	158 lbs.
Overall Height (to top of boom)	122 in.	153 in.	92 in.
Boom Overhang	55 in.	60 in.	48 in.

* SH300 now available with built-in handwinch and 60 ft. of wire rope.

Hand Swing Hoist Features & Benefits

- The tripod design provides rooftop stability.
- Lightweight components are easily transported and assembled.
- The boom locks for additional hoisting and unloading safety.
- Nesting ballast weight shells are included for added safety in a convenient form.
- An optional fence is available for extra operator protection.
- This hoist is ideal for raising Swing/Trolley Hoist frames to the roof.
- The SH300 is a 300 lb. capacity, manually operated swing boom hoist.
- The SH300 is available with a handwinch for added convenience.

Call RGC for pricing on
Rotation-Resistant Wire Rope
 800-831-LIFT (5438).



TT1000 Trolley Hoist w/ GB800 Gravel Bucket

TROLLEY HOIST SPECIFICATIONS	
Model	HH500
Hoisting Speed	70/140 fpm*
Cable Supplied	200 ft.
Cable Diameter	3/16 in.
Trolley Track Length	15 ft.
Overhangs Roof By	5 ft.
Front Opening (width)	4-1/2 ft.
Max. Height Under Track	8 ft.
Counterweight Required	1500 lbs.
Ballast Weight Shells Included	30 pcs.
Shipping Weight (w/ Frame)	814 lbs.

*70 fpm speed is with 2 parts of line at 1000 lbs. capacity.
*140 fpm speed is with 1 part of line at 500 lbs. capacity.

Trolley Hoist Features & Benefits

- The TT1000 is a 1/2 ton capacity hydraulic Trolley Hoist.
- High-strength steel tubing is used for strong, reliable construction.
- Hydraulic power-up and power-down feature puts the operator in complete control.
- The frame breaks down into three parts for easy transporting.
- The track allows loads to be pulled in from the roof edge for fast, easy and safe unloading.
- Self-locking pins permit quick and easy frame assembly.
- Adjustable legs allow the hoist to be leveled for use on sloped roofs and parapets.
- The trolley wheels are protected from dirt and corrosion by the heavy-duty steel track.
- Nesting ballast weight shells are included for added safety in a convenient form.
- A protective operator fence provides additional safety.
- An optional handwinch quickly mounts to the hoist frame to raise a power drive up four stories.

TT1000 TROLLEY TRACK & MASONRY HOIST				
Part #	Model	Description	Weight	Price
0800421	TT1000	8 hp Honda engine (HH500), frame assembly, with 200 ft. of 3/16 in. wire rope and 30 ballast weight shells with funnel.	814 lbs.	

TROLLEY TRACK POWER DRIVE				
Part #	Model	Description	Weight	Price
0800783	HH500	8 hp Honda engine, hydraulic controls and 200 ft. of 3/16 in. wire rope.	319 lbs.	

TROLLEY TRACK FRAME ASSEMBLY & ACCESSORY				
Part #	Model	Description	Weight	Price
0900003	TT1000	Trolley rail, front leg, rear leg, operator fence and 30 ballast weight shells.	495 lbs.	
0103000		Hand Winch for TT1000 with 50 ft. wire rope.	32 lbs.	

GROUND MOUNTED POWER DRIVE				
Part #	Model	Description	Weight	Price
0878403	HH500	8 hp Honda engine w/ hydraulic controls. Order wire rope separately.	305 lbs.	
7300009		3/16 in. wire rope - priced per foot.		

Ground-Mounted HH500 Power Drive w/ GB400 Gravel Bucket





GB1600 Gravel Bucket



HF2000 Hoist Fork & Wheel Assembly



Ballast Weight Shells (Assembled & Unassembled)



1200 lb. Trash Tray

GRAVEL BUCKETS

Part #	Model	Description	Weight	Price
O100030	GB400	400 lb. and 3-1/2 cu. ft. capacity. Bottom discharge operated by handles on each side of frame. Measures 18 in. W x 18 in. D x 24 in. H	51 lbs.	
O100059	GB800	800 lb. and 7 cu. ft. capacity. Bottom discharge has positive shutoff to stop flow between loads. Measures 30 in. W x 30 in. D x 29 in. H. Bottom opening is 10 in. x 10 in.	80 lbs.	
O100058	GB1600	1600 lb. and 14 cu. ft. capacity. Bottom discharge has positive shutoff to stop flow between loads. Measures 30 in. W x 30 in. D x 41 in. H. Bottom opening is 10 in. x 10 in.	150 lbs.	

HOISTING FORKS

Part #	Model	Description	Weight	Price
O100154	HF1000	1000 lb. capacity. Wheels at rear of fork and pivoting material stops are standard. Measures 38 in. W x 60 in. H x 35 in. D	163 lbs.	
O100153	HF2000	2000 lb. capacity. Wheels at rear of fork and pivoting material stops are standard. Measures 38 in. W x 63 in. H x 46 in. D	225 lbs.	
O100017	Masonry Fork	800 lb. capacity. Measures 24 in. W x 25 in. H x 28 in. D	41 lbs.	

BALLAST WEIGHT SHELLS

Ballast Weights are steel cases you fill with concrete, have an easy to assemble 3-piece snap-lock design, are sturdy and easy to carry. Shipped in knock-down form, they weigh 50 lbs. when assembled and filled with concrete.

Part #	Description	Weight	Price
O132000	Ballast Weight Shells (each)	5 lbs.	
O132006	Ballast Weight Shells (6 pack)	31 lbs.	
O132010	Ballast Weight Shells (10 pack)	50 lbs.	
6432005	Funnel - large for filling ballast weight shells	1 lb.	

TRASH TRAYS

Part #	Description	Weight	Price
O100056	Large Trash Tray, 1200 lb. capacity, with cable assembly. Measures 90 in. W x 40 in. D x 12 in. H	165 lbs.	
O100052	Small Trash Tray, 400 lb. capacity, with cable assembly. Measures 61 in. W x 33 in. D x 12 in. H	63 lbs.	
O104290	Cable Assembly for Large Trash Tray	8 lbs.	
O104291	Cable Assembly for Small Trash Tray	4 lbs.	

HOISTING HYDRAPAKS WITH GASOLINE ENGINES

RGC HydraPaks are versatile single power sources that put reliable, efficient hydraulic power at the job site. These lightweight, portable units are adaptable enough to operate a Swing Hoist or a HydraSaw. All gasoline powered RGC HydraPaks are equipped with a 6 gallon hydraulic reservoir and lifting eye. Each unit has low oil shutdown, a heavy-duty heat exchanger and is cart-mounted with 16 in. pneumatic tires. Other engines are available on special order. Consult factory for price and availability.

Part #	Model	Description	Weight	Price
0501058	HI058S	10 hp B & S Intek I/C engine with electric and pull start, 5 or 8 gpm output, and winch and boom valves.	235 lbs.	
0545308	HH1158S	11 hp Honda engine with electric and pull start, 5 or 8 gpm output, and winch and boom valves.	245 lbs.	
0545328	HH1158S	0545308 w/ safety valve for limit switch.	260 lbs.	
0544501	HH1358S	13 hp Honda engine with electric and pull start, 5 or 8 gpm output, and winch and boom valves.	275 lbs.	
0544521	HH1358S	0544501 w/ safety valve for limit switch.	290 lbs.	
0543002	HV1658S	16 hp B & S Vanguard engine with electric and pull start, 5 or 8 gpm output, and winch and boom valves.	300 lbs.	
0543012	HV1658S	0543002 w/ safety valve for limit switch.	315 lbs.	
0514858	HV1858S	18 hp B & S Vanguard engine with pull and electric start, 5 or 8 gpm output, electronic governor, and winch and boom valves.	300 lbs.	
0514859	HV1858S	0514858 w/ safety valve for limit switch.	315 lbs.	



HV1658S HydraPak

Contact factory for information about our full line of hydraulic tools and multi-purpose HydraPaks. 800-831-LIFT (5438).



S14 HydraSaw

HOISTING HYDRAPAK WITH ELECTRIC MOTOR

RGC electric powered HydraPaks are equipped with a 6 gallon reservoir, heavy-duty heat exchanger and lifting eye. Each unit is mounted on a portable cart with 16 in. pneumatic tires.

Part #	Model	Description	Weight	Price
0578203	HE7558S	7-1/2 hp, 230V, 3 ph, 60 hz electric motor with 5 or 8 gpm output, and winch & boom valves. Does not include motor starting or switching equipment.	234 lbs.	
0578213	HE7558S	0578203 w/ safety valve for limit switch.	250 lbs.	
0530601		Motor Starter for HE7558S with NEMA 4X enclosure. 230V, 3 ph, 60 hz. (less power cord)	20 lbs.	
5400184		Power Cord for Motor Starter less plug (priced per foot)		

HYDRASAW

RGC HydraSaws are unmatched for power and easy operation when cutting through concrete, natural stone, masonry, pipe and block. Use an abrasive blade to cut steel and other metals. The hydraulic direct drive provides maximum power, consistent cutting speed and torque. Maintenance is minimal. Each saw includes a guard, water attachment for wet cutting, hose whips with fittings and trigger lockout.

Part #	Model	Description	Weight	Price
2001440	S14	14 in. circular saw w/ 5-1/4 in. cutting depth. 4100 rpm @ 8 gpm.	28 lbs.	



CAGE Code #51097



REIMANN & GEORGER CORPORATION
1849 Harlem Road • Buffalo, NY 14212

1-800-831-LIFT (5438)
FAX: 1-716-895-1547

*View our entire line of Hoisting,
Construction and Marine equipment at:*

www.rgcproducts.com
sales@rgcproducts.com

Distributed by:

— EST. 1975 —
INDUSTRIAL
LADDER & SUPPLY CO.

Toll-Free: 1-800-833-0800
WWW.INDUSTRIALLADDER.COM

FLORIDA | 8331 Epicenter Blvd. Lakeland, FL 33809

ILLINOIS | 245 East Adele Court Villa Park, Illinois 60181

GEORGIA | 4200 Steve Reynolds Blvd. #1 Norcross, GA 30093

MINNESOTA | 8437 University Ave. NE Spring Lake Park, MN 55432

MARYLAND | 10611 C Iron Bridge Rd Jessup, Maryland 20794

NEW JERSEY | 11 Purcell Court Moonachie, New Jersey 07074

OHIO | 4725 Port Union Rd. Hamilton, Ohio 45011

TEXAS | 10560 Newkirk Street Dallas, Texas 75220

CORPORATE | 4707 Enterprise Ave Naples, FL 34104